

Township N. 1. North, Range N. 6 East 2. Mer. Indiana.

Township Lines.

South Boundary or Base Line

East on the S. Boundary of Sec. 31

40.00 a Brook 50 lbs. wide ~~course~~ S

37.75 a Do 50 " " " S

40.00 set g. sec. post from which

a Poplar 5 in. dia. bears S 56° W 52 lbs. dist. 8

a W. Ash 10 " " " S 68° E 53 " "

the post stands in the same Brook, course N 7° W

40.50 E. side of Brook where it runs from the N

40.75 a Sugar 20 in. dia.

58.00 a clift of rocks

80.00 set post cor. of sec. 31 & 32 from which

a B. Oak 5 in. dia. bears S 42° W 3 lbs. dist. 8

a Do 10 " " " N 75° E 23 " "

This mile over very high steep hills, some Pine

East on the S. Boundary of Sec. 32

11.20 a Hickory 18 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 67° W 8 lbs. dist. 8

a Do 10 " " " N 78° E 24 " "

68.56 a W. Oak 20 " "

80.00 set post cor. of sec. 32 & 33 from which

a W. Oak 12 in. dia. bears N 81° W 20 lbs. dist. 8

a Beech 8 " " " S 33° W 16 " "

Land broken, timber principally Oak

East on the S. Boundary of Sec. 33

38.50 a Brook 10 lbs. wide course S E

40.00 set g. sec. post from which

a B. Oak 20 in. dia. bears N 58° E 9 lbs. dist. 8

an Elm 10 " " " S 17° W 19 " "

T. 1 N., R. 6 E. T. Mer. Ind. a

43.00 a Brook 15 lbs. wide course SE

80.00 set post cor. of sec. 33 & 34 from which
a B. Oak 8 in. diameter N 76° W 43 lbs. dist. 8

a Do 8 " " " S 21° W 3 1/2 " "

Land very thin but the hill not so high

East on the S. Boundary of Sec. 34

19.93 set post on the W. line of Clarks Grant from which
a W. Oak 20 in. diameter S 66° W 9 lbs. dist. 8

a Do 20 " " " N 66° E 13 " "

Land the same quality, timber Oak

Surveyed in 1806 by

Arthur Henrie

Dep. Surveyor.

North Boundary. Var. 5° 50' E.

East on the S. Boundary of Sec. 36, T. 2 N., R. 6 E

5.00 a Brook 10 lbs. wide course SE

6.30 a Beech 16 in. dia.

7.00 lost brook

18.50 a Brook 10 lbs. wide course NE

21.00 same " course SE

22.00 lost brook

25.00 a Creek 25 lbs. wide course S

40.00 set q. sec. post from which

a Poplar 18 in. diameter N 70° W 7 lbs. dist. 8

a Beech 24 " " " S 47° E 26 " "

61.00 a Brook 3 lbs. wide course S

66.00 a Beech 18 in. dia.

72.50 a Brook 5 lbs. wide course S

79.50 a Do 20 " " " S

80.00 set post cor. of sec. 31 & 32 from which

a Sugar 18 in. diameter N 73° E 17 lbs. dist. 8

Surveyed,

T. 1 N., R. 6 E. 2.^d Mer. Ind.^a

a Sugar 16 in. dia. diam S 14 E 29 lbs. dia.
 First $\frac{1}{2}$ mile level land, rich soil, timber
 Beech, Sugar, Poplar - 2 $\frac{1}{2}$ mile level land,
 timber Oak, Poplar, Beech &c.

East on the S. Boundary of Sec. 32, T. 2 N., R. 6 E

12.50 a Creek 20 lbs. wide course S W

14.50 foot Creek

30.00 a Brook 3 lbs. wide course N W

40.00 set g. sec. part from which

a W. Oak 18 in. dia. diam S 60 W 12 lbs. dia. &

a Logwood 4 " " " N 25 E 29 " "

Uneven land, timber Beech, Oak &c.

46.50 a B. Oak 36 in. dia.

52.50 a Brook 20 lbs. wide course N W

80.00 set part cor. of Sec. 32 & 33 from which

a Beech 12 in. dia. diam N 53 W 28 lbs. dia. &

a B. Oak 24 " " " S 36 E 23 " "

Good level land, timber Beech, Poplar &c.

East on the S. Boundary of Sec. 33, T. 2 N., R. 6 E

15.70 a Chesnut 14 in. dia.

21.50 a Brook 3 lbs. wide course S

30.50 a B. Oak 30 in. dia.

33.50 a Brook 3 lbs. wide course S

40.00 set g. sec. part from which

a B. Oak 14 in. dia. diam S 47 E 4 lbs. dia. &

a Beech 12 " " " N 58 W 17 " "

Level good Oak land

51.80 a W. Oak 36 in. dia.

80.00 set part cor. of Sec. 33 & 34 from which

a Beech 14 in. dia. diam S 14 E 18 lbs. dia. &

a B. 24 " " " N 53 W 42 " "

T. 1 N., R. 6 E., S. Mer. Ind. a

Pretty good Oak land

East on the S. Boundary of Sec. 34, T. 1 N., R. 6 E.

12.00 a Brook 3 lbs. wide course S E

35.00 a Do 3 " " " S

40.00 set g. sec. post from which

a Beech 10 in. dia. leans S 17° W 20 lbs. dist. 8

a P. Oak 10 " " " N 50° W 27 " "

40.50 a Brook 3 lbs. wide course S

50.00 a Do 5 " " " S

64.50 a W. Oak 24 in. dia.

67.00 a Brook 3 lbs. wide course S

70.50 a Do 3 " " " S

80.00 set post cor. of sec. 34 & 35 from which

a Pine 7 in. dia. leans N 36° E 10 lbs. dist. 8

a W. Oak 10 " " " S 55° W 18 " "

First 1/2 mile hilly poor Pine land - last 1/2 mile
very high & poor hills, timber Oak & Pine

East on the S. Boundary of Sec. 35, T. 1 N., R. 6 E.

16.50 a Brook 5 lbs. wide course S

19.00 a Chesnut 24 in. dia.

30.00 a Brook 2 lbs. wide course S

37.00 a Do 3 " " " S W

40.00 set g. sec. post from which

a Chesnut Oak 12 in. dia. leans N 80° E 36 lbs. dist. 8

a Chesnut 12 " " " S 69° W 55 " "

80.00 set post cor. of sec. 35 & 36 from which

a Maple 12 in. dia. leans S 50° E 23 lbs. dist. 8

a Chesnut Oak 18 " " " N 55° E 35 " "

Very high poor hills, timber Pine, Oak,
Chesnut &c.

291

T. N., R. O. E. I. Mer. Ind. a

East on the S. Boundary of Sec. 36, T. 2 N., R. 6 E

38.50 a Brook 8 lbs. wide course SE

39.00 a W. Oak 30 in. dia.

40.00 set g. sec. part from which

a W. Oak 16 in. dia. bears S 40 E 33 lbs. dist. 8

a Do 15 " " " N 70 W 54 " "

Level good Oak land

49.70 a Beech 18 in. dia.

61.00 to Clark's Grant, set part from which

a W. Oak 6 in. dia. bears S 48 W 41 lbs. dist. 8

a Do 8 " " " N 51 E 16 " "

Generally pretty good Oak land
August 19. 1806

West Boundary. Var. S. 50. E.

North on the E. Boundary of Sec. 36, T. 1 N., R. 5 E

Friday the 15th August 1806

14.65 a Chestnut Oak 12 in. dia.

28.50. a Y. Pine 15 in. dia.

40.00 set g. sec. part from which

a Chestnut Oak 15 in. dia. bears N 20 E 7 lbs. dist. 8

a Do 8 " " " S 36 W 10 " "

Poor high hills

57.00 a Brook 10 lbs. wide course W

61.00 a Beech 12 in. dia.

80.00 set part cor. of sec. 25 & 36 from which

a Chestnut Oak 15 in. dia. bears S 54 W 13 lbs. dist. 8

a Do 13 " " " S 87 E 18 " "

Poor high hills

North on the E. Boundary of Sec. 25, T. 1 N., R. 5 E

21.50 a Brook 6 lbs. wide course W

32.50 a W. Oak 8 in. dia.

T. 1 N., R. 6 E. 2. Mer. Ind.?

- 40.00 set g. sec. post from which
 a Chestnut Oak 18 in. dia. bears N 81° W 28 lbs. dist. 18
 " Do 12 " " " S 73° E 16 " "
 High bushy ridges, timber Oak, Chestnut &c.
 62.30 a Poplar 12 in. dia.
 80.00 set post cor. of sec. 24 & 25 from which
 a Hickory 15 in. dia. bears N 10° E 7 lbs. dist. 8
 a Poplar 40 " " " S 57° E 14 " "
 Land & timber as last noted

North on the E. Boundary of Sec. 24, T. 1 N., R. 5 E

- 5.00 a Brook 3 lbs. wide course NE
 33.50 a W. Oak 18 in. dia.
 40.00 set g. sec. post from which
 a W. Oak 12 in. dia. bears N 15° E 20 lbs. dist. 8
 a Do 8 " " " S 38° E 20 " "
 Hilly Oak land
 62.00 a Brook 20 lbs. wide course NW
 66.50 a Beech 18 lbs. dia.
 80.00 set post cor. of sec. 13 & 24 from which
 a Beech 18 in. dia. bears N 11° W 18 lbs. dist. 8
 a Do 8 " " " S 30° E 19 " "
 Good land, good water Sweet timbered with Oak,
 Ash, Beech &c.

North on the E. Boundary of Sec. 13, T. 1 N., R. 5 E

- 4.00 a Brook 3 lbs. wide course SW
 19.50 a Beech 20 in. dia.
 21.00 a Creek 35 lbs. wide course SW
 31.50 a Beech 30 in. dia.
 40.00 set g. sec. post from which
 a W. Oak 24 in. dia. bears N 61° E 11 lbs. dist. 23
 a Do 15 " " " S 87° W 30 " "
 Good level land, Sugar, Beech, Chestnut &c.

T. 1 N., R. 6 E., 2^d Mer. Ind. a

- 54.30 a Poplar 50 in. dia.
 77.00 a Brook 3 lks. wide course SE
 80.00 set part cor. of sec. 12 & 13 from which
 a R. Oak 6 in. dia. bears S 17° W 13 lks. dist. S
 a Do 10 " " " N 29° W 21 " " "
 Good land, timbered Oak, Poplar &c.

North on the E. Boundary of Sec. 12, T. 1 N., R. 6 E

- 23.00 a R. Oak 16 in. dia.
 33.00 a Creek 50 lks. wide course W
 40.00 set g. sec. part from which
 a Walnut 6 in. dia. bears S 31° E 16 lks. dist. S
 a Do 12 " " " N 19° W 40 " " "
 48.80 Generally good Oak land
 48.80 a Beech 15 in. dia.
 55.00 a Brook 10 lks. wide course SW
 75.00 loopt Brook, course SE
 78.00 a Brook 10 lks. wide course SE
 80.00 set part cor. of sec. 1 & 12 from which
 a Sycamore 18 in. dia. bears S 37° W 26 lks. dist. S
 a W. Oak 10 " " " N 19° W 19 " " "
 Rich bottom land, timbered Beech, Sugar, Elm &c.

North on the E. Boundary of Sec. 1, T. 1 N., R. 6 E

- 14.26 a Beech 14 in. dia.
 40.00 set g. sec. part from which
 a Dogwood 6 in. dia. bears N 42° W 18 lks. dist. S
 a Beech 8 " " " S 7° E 23 " " "
 Good level land, timbered Oak, Beech, Sugar &c.
 61.00 a Beech 24 in. dia.
 74.25 a W. Oak 18 " " "
 80.00 set part cor. of T. 1 & 2 N., R. 6 & 6 E. from which
 a Beech 16 in. dia. bears N 51° E 11 lks. dist. S

T. N., R. 6 E. 2. Mer. Ind. a.

a Beech 15 in. diameter S 20 W 41 lbs. dist.

First state land, timber Sugar, Beech, Poplar

&c. August 16. 1806

Surveyed by Alexander Holmes

Dep. Surveyor.

Subdivision.

North between Sec. 33 & 34, T. N., R. 6 E.

20.12 a W. Oak 18 in. dia.

40.00 set of sec. post from which

a Chestnut Oak 14 in. diameter S 85 E 25 lbs. dist. 8

a Do 18 " " " N 22 W 25 " "

71.56 a Do 16 " "

76.12 a Branch 15 lbs. wide course S 55 E

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Maple 12 in. diameter N 67 E 15 lbs. dist. 8

a Beech 10 " " " S 71 W 7 " "

Low hills generally Oak thin soil

East between Sec. 27 & 34

16.00 a Branch 12 lbs. wide course S 30 E

40.00 set of sec. post from which

a W. Oak 10 in. diameter N 65 E 9 lbs. dist. 8

a Do 16 " " " N 34 W 14 " "

October 1. 1806

72.50 a Branch 20 lbs. wide course S 70 E

74.31 to post in line of Clarke's Grant, 95.75 lbs. N 55 E
from 3 W. Oaks & Sycamore at an offset in said
line, from which

a Beech 15 in. diameter S 47 W 34 lbs. dist. 8

a Sugar 30 " " " N 50 E 47 " "

Oak & Beech, low ridges. October 24. 1806

T. N., R. O. E. 2^d Mer. Ind.^a

North between Sec. 32 & 33

1.00 a Branch 12 lbs. wide course S 25 E

3.50 same, course S 20 W

27.30 a W. Oak 22 in. dia.

40.00 set g. sec. post from which

a W. Oak 15 in. dia. bears S 30 E 5 lbs. dist. 8

a Gum 8, , , N 37 W 43, ,

55.38 a W. Oak 16, ,

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a B. Oak 20 in. dia. bears S 55 W 21 lbs. dist. 13

a Chesnut Oak 12, , , N 50 E 7, ,

Ridges upon land & Hackberry brush

East on Random between Sec. 28 & 33

13.50 a high rob

20.30 Rob

40.00 set temp. g. sec. post

51.00 a Branch 12 lbs. wide course S

79.00 a Do 15, , , S

81.00 Intersect N & E line at post -

Hilly Oak & Pine land

West Connected between Sec. 28 & 33

40.50 set g. sec. post at aver. dist. from which

a Chesnut Oak 16 in. dia. bears N 85 W 26 lbs. dist. 8

a Do 17, , , S 34 W 13, ,

81.00 to sec. cor. on a Rob S 60 E.

October 3, 1806

North between Sec. 31 & 32

18.50 top of the robs S 45 W

25.25 a Chesnut Oak 16 in. dia.

37.50 a Branch 4 lbs. wide course W

40.00 set g. sec. post from which

T. 1 N., R. 6 E. 2. Mer. Ind. a

a Gum 12 in. dia. beam S 29 E 10 lbs. dist 18
 a Sugar 12 " " " N 66 W 44 " "

52.50 Nob

75.00 a Branch 12 lbs. wide course S 35 W

80.00 set part cor. of sec. 29, 30, 31 & 32 from which
 a Beech 18 in. dia. beam S 65 E 21 lbs. dist 18
 a W. Oak 12 " " " N 23 W 47 " "

High hills, poor land, Oak, Pine & Chesnut
 some Beech on the branch

East on Random between Sec. 29 & 32

5.50 a Branch 12 lbs. wide course S

30.50 Nob, South

40.00 set temp. g. sec. port

41.50 a Dream course S

50.00 Nob South

69.00 a Branch 10 lbs. wide course S

80.50 Intersect N. S. line at port -

High hills, poor land, Oak, Hickory, Chesnut,
 Pine - Upr. Green Briers & Hackelberry bushes

West blazed between Sec. 29 & 32

40.25 set g. sec. port at aver. dist. from which

a Hickory 15 in. dia. beam N 73 E 21 lbs. dist 18

a Do 12 " " " S 58 W 15 " "

80.50 to sec. cor.

West between Sec. 30 & 31

9.00 top of nob

15.00 a Branch 4 lbs. wide course S

25.00 Nob

40.00 set g. sec. port from which

a Chesnut 8 in. dia. beam N 85 E 38 lbs. dist 18

T. 1 N., R. 6 E. 2^d. Mer. Ind.^a

a Chestnut Oak 10 in. dia. leans S 36 E 17¹/₂ lbs. dist.
 49.00 a Branch 6 lbs. wide course S.
 60.00 top of hills
 79.00 Intersect W. Boundary 250 lbs. N. of port -
 set port at intersection, on the top of a hill, cor. of
 sec. 30 & 31 from which
 a Hickory 4 in. dia. leans N 62¹/₂ W 4 lbs. dist. 8
 a Do 8 " " " S 71 E 42 " "
 Hills high & steep, Oak, Hickory & Chestnut

North between Sec. 29 & 30

1.23 a W. Oak 18 in. dia.
 40.00 set g. sec. port from which
 a Chestnut 21 in. dia. leans N 39 W 33 lbs. dist. 8
 a Do 22 " " " N 60 E 26 " "
 80.00 set port cor. of sec. 19, 20, 29 & 30 from which
 a Chestnut 15 in. dia. leans N 60 W 14 lbs. dist. 8
 a Gum 17 " " " S 70 E 39 " "
 Heilly Oak & Chestnut land
 October 4, 1806

West between Sec. 19 & 30

13.50 a Branch 10 lbs. wide course N.
 40.00 set g. sec. port from which
 a Poplar 40 in. dia. leans S 36 W 13 lbs. dist. 8
 a W. Oak 7 " " " N 45 W 5 " "
 53.50 a Branch 6 lbs. wide course N
 79.50 Intersect W. Boundary 210 lbs. N. of port -
 set port at intersection cor. of sec. 19 & 30 from which
 a Poplar 22 in. dia. leans N 14 E 35 lbs. dist. 8
 a B. Oak 20 " " " N 87 E 44 " "
 Heilly Oak & Poplar land

T. 1 N., R. 6 E. 2. Sec. Ind. a

North between Sec. 27 & 28

26.69 a W. Oak 18 in. dia.

40.00 set g. sec. port from which

a B. Oak 18 in. dia. bears N 54 1/2 E 25 lbs. dist 1/8

a As 12 " " " N 79 W 38 " "

62.56 a W. Oak 18 " "

80.00 set port cor. of Sec. 21, 22, 27 & 28 from which

a Beech 13 in. dia. bears N 54 E 9 lbs. dist 1/8

a As 16 " " " S 51 W 30 " "

Lawridges, timber Oak

North between Sec. 28 & 29

25.25 a Branch 10 lbs. wide course E

27.44 a Gum 24 in. dia.

40.00 set g. sec. port from which

a Chesnut 7 in. dia. bears S 29 W 13 lbs. dist 1/8

a B. Oak 5 " " " N 24 E 9 " "

80.00 set port cor. of Sec. 20, 21, 28 & 29 from which

a W. Oak 12 in. dia. bears N 87 E 17 lbs. dist 1/8

a Poplar 30 " " " N 27 W 46 " "

High hills & poor land, Oak & Chesnut
Huckleberries

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. port

65.00 a Branch 12 lbs. wide course S.

70.00 same " course N 60 E

80.00 Intersect N & S line at port -

Hilly Oak & Chesnut land

West blazed between Sec. 21 & 28

40.00 set g. sec. port at aver. dist. from which

a W. Oak 22 in. dia. bears S 32 E 15 lbs. dist 1/8

T. 1 N., R. 6 E., 2^d Mer. Ind.^a

a W. Oak 12 in. diameter N 65 E 38 lbs. dist.
80.00 to sec. cor.

North between Sec. 20 & 21

40.00 set q. sec. post from which
a Chesnut 20 in. diameter S 52 E 29 lbs. dist. 8
a Chesn. Oak 10 " " " N 87 W 21 " "
50.00 a Branch 10 lbs. wide course E
50.57 a R. Oak 30 in. dia.
69.50 a Branch 5 lbs. wide course E
80.00 set post cor. of Sec. 16, 17, 20 & 21 from which
a Chesnut Oak 14 in. diameter S 12 W 33 lbs. dist. 8
a Do 15 " " " N 40 W 7 " "
Low hills, Oaks, Chesnut & Poplar -
some brush October 5. 1806

West in Random between Sec. 20 & 29

40.00 set temp. q. sec. post
79.50 Intersect N. S. line at post -
Hilly poor Oakland

East blazed between Sec. 20 & 29

39.75 set q. sec. post at aver. dist. from which
a W. Oak 14 in. diameter S 86 E 25 lbs. dist. 8
a Chesn. Oak 20 " " " S 46 W 30 " "
79.50 to sec. cor.

North between Sec. 21 & 22

1.50 a Branch 20 lbs. wide course E
25.14 a W. Oak 14 in. dia.
40.00 set q. sec. post from which
a W. Oak 10 in. diameter N 67 1/2 E 11 lbs. dist. 8
a Do 10 " " " S 13 E 11 " "

T. 1 N., R. 6 E., 2^d Mer. Ind.^a

54.00 a Branch 10 lbs. wide course S 40° E
 80.00 set part cor. of Sec. 16, 17, 20 & 21 from which
 a W. Oak 13 in. dia. bears S 53° E 17 lbs. dist. 8
 a Do 12 " " " N 36° W 23 " "
 Low ridges, Oak land

North between Sec. 15 & 16

23.54 a W. Oak 12 in. dia.
 40.00 set g. sec. part from which
 a W. Oak 12 in. dia. bears N 31° W 15 lbs. dist. 8
 a Ches. Oak 10 " " " S 39° W 26 " "
 53.50 a Branch 10 lbs. wide course S 40° E
 76.88 a W. Oak 14 in. dia.
 80.00 set part cor. of Sec. 9, 10, 15 & 16 from which
 a R. Oak 8 in. dia. bears N 11° W 18 lbs. dist. 8
 a Gum 18 " " " S 28° W 45 " "
 Hilly Oak land & brushy

North between Sec. 19 & 20

1.80 a Branch 10 lbs. wide course W
 24.10 an Ash 22 in. dia.
 30.50 a Branch 12 lbs. wide course W
 40.00 set g. sec. part from which
 a Poplar 22 in. dia. bears N 74° E 23 lbs. dist. 8
 a Hickory 6 " " " S 2° E 12 " "
 65.50 a Branch 10 lbs. wide course W
 75.00 a Do 10 " " " W
 80.00 set part cor. of Sec. 17, 18, 19 & 20 from which
 a W. Oak 22 in. dia. bears N 39° E 42 lbs. dist. 8
 a B. Oak 24 " " " S 59° W 38 " "
 Ridges, Oak, Chestnut & Poplar

East on Ranges between Sec. 17 & 20

T. N., R. O. 2^d. Mer. Ind.^a

15.50 a Branch 10 lbs. wide course S 60° W

40.00 set temp. g. sec. port

80.00 Intersect N & S. line at port -
Hilly poor Oak land

West blazed between Sec. 17 & 20

40.00 set g. sec. port at aver. dist. from which
a Poplar 14 in. dia. bears N 37° E 4 lbs. dist. 8
a Chesnut 33 " " " S 55° W 22 " "

80.00 to sec. cor. October 6. 1806

East on Random between Sec. 16 & 21

16.00 a Branch 6 lbs. wide course S

40.00 set temp. g. sec. port

81.00 Intersect N & S. line 20 lbs. S. of port -
Hilly Oak, Pine & Chesnut land

West Connected between Sec. 16 & 21

40.50 set g. sec. port at aver. dist. from which
a R. Oak 16 in. dia. bears S 77° E 21 lbs. dist. 8
no other Bearing tree

81.00 to sec. cor.

North between Sec. 16 & 17

6.50 a Chesnut Oak 22 in. dia.

9.00 top of nob

40.00 set g. sec. port from which

a Chesnut 14 in. dia. bears S 29° W 25 lbs. dist. 8

a Chesn. Oak 13 " " " N 77° E 16 " "

49.00 a Branch 10 lbs. wide course W

59.25 a Chesnut Oak 27 in. dia.

80.00 set port cor. of Sec. 8, 9, 16 & 17 from which

a Chesnut 13 in. dia. bears N 52° W 45 lbs. dist. 8

T. N., R. O. E. I. Mer. Ind.^a

a Chesnut Oak 20 in. dia. bears S 24 E 22 lbs. dist.
Hilly thin land, Oak & Chesnut timber

West between Sec. 18 & 19

29.25 a Gum 14 in. dia.

40.00 set g. sec. post from which

a Chesnut 20 in. dia. bears N 47 W 22 lbs. dist. &

a Beech 8 " " S 46 W 25 " "

52.35 a Branch 20 lbs. wide course S 50 W

81.50 Intersect N. Boundary 304 lbs. N. of post -

set post at intersection cor. of sec. 18 & 19 from which

a Gum 18 in. dia. bears S 21 W 8 lbs. dist. &

a Poplar 6 " " N 51 E 12 " "

Low ridges, Oak, Chesnut, Poplar & Beech

North between Sec. 17 & 18

2.35 a Gum 16 in. dia.

39.50 a Branch 25 lbs. wide course N 50 W

40.00 set g. sec. post from which

a Beech 21 in. dia. bears N 84 E 50 lbs. dist. &

a Sycamore 30 " " N 6 E 55 " "

65.50 a Beech 18 " "

69.50 a Branch 12 lbs. wide course W

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Chesnut 17 in. dia. bears N 77 1/2 E 20 lbs. dist. &

a Maple 10 " " S 12 W 12 " "

Ridges, Oak & Chesnut. Good land for
Wheat, Rye, Oats or Irish Potatoes

October 8, 1806

West between Sec. 7 & 18

10.27 a W. Oak 22 in. dia.

40.00 set g. sec. post from which

T. 1 N., R. 6 E., 2^d Mer. Ind.^a

- a Beech 7 in. dia. lean S 61 W 12 lbs. dia. 8
 a W. Walnut 12 " " " N 15 W 27 " "
 45.00 a Branch 50 lbs. wide course S 45 W
 51.75 a Chestnut 38 in. dia.
 71.00 a Branch 8 lbs. wide course S
 83.50 Intersect W. Boundary 177 lbs. N. of port -
 set post at intersection cu. of sec. 7 & 18 from which
 a Beech 14 in. dia. lean S 81 E 17 lbs. dia. 8
 a Dr 13 " " " N 13 E 46 " "
 Low ridges, timber Oak, Beech, Chestnut &
 Poplar
-

East on Random between Sec. 8 & 17

- 1.50 a Branch 6 lbs. wide course S
 6.50 a Dr 10 " " " S 50 W
 40.00 set temp. g. sec. post
 76.00 a Branch 6 lbs. wide course S 40 W
 80.00 Intersect N & S. line at port -
 Poor land & hilly, timber Oak
-

West blazed between Sec. 8 & 17

- 40.00 set g. sec. post at aver. dia. from which
 a Chestnut Oak 23 in. dia. lean S 69 E 34 lbs. dia. 8
 a Dr 21 " " " N 15 E 24 " "
 80.00 to sec. cor.
-

East on Random between Sec. 9 & 16

- 40.00 set temp. g. sec. post on the top of nob
 65.00 a Branch 10 lbs. wide course S
 80.00 Intersect N & S. line 10 lbs. N. of port
 Hilly Oak & Chestnut land
-

West Connected between Sec. 9 & 16

T. N. R. Co. 2^d Mer. Ind.

40.50 set of sec. post at aver. dist. from which
 a B. Oak 7 in. diam. N 74 E 13 lbs. dist. 8
 a Do 5 " " S 11 W 5 " "
 to sec. cor.

North between Sec. 9 & 10

20.00 top of the nob

32.17 a Chesnut 24 in. diam.

40.00 set of sec. post from which
 a Chesnut 22 in. diam. S 45 E 5 lbs. dist. 8
 a Beech 13 " " N 80 W 27 " "

55.75 a Branch 4 lbs. wide course W

80.00 set post cor. of sec. 3, 4, 9 & 10 from which
 a Beech 16 in. diam. S 37 E 45 lbs. dist. 8
 a Do 27 " " N 24 W 23 " "

Hilly Oak & Pine to the top of the nob, then
 Oak, Poplar, Beech & Chesnut

North between Sec. 8 & 9

20.25 a Branch 10 lbs. wide course W

33.97 a Chesnut Oak 30 in. diam.

40.00 set of sec. post from which
 a Beech 12 in. diam. N 17 W 14 lbs. dist. 8
 a Poplar 21 " " S 49 W 21 " "

40.50 a Branch 12 lbs. wide course W

80.00 set post cor. of sec. 4, 5, 8 & 9 from which
 a Chesnut 22 in. diam. S 77 1/2 E 24 lbs. dist. 8
 a Do 16 " " N 17 1/2 W 13 " "

Hilly, timber Oak, Hickory, Chesnut & Poplar
 October 13. 1806

North between Sec. 7 & 8

40.00 set of sec. post from which

T. 1 N., R. 6 E., 2. Mer. Ind. a

a Sugar 13 in. dia. leans N 25 E 14 lbs. dist. 8

a Do 18 " " " S 30 E 45 " "

the port stands in a Branch 30 lbs. wide course W
80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a W. Oak 14 in. dia. leans N 44 E 16 lbs. dist. 8

a R. Oak 10 " " " S 12 W 12 " "

Hilly & brushy Oak & Chesnut land

West between Sec. 6 & 7

32.54 a Chesnut 22 in. dia.

40.00 set of sec. port from which

a Beech 18 in. dia. leans S 77 W 35 lbs. dist. 8

a Do 22 " " " N 26 W 3 " "

46.47 a Branch 50 lbs. wide course S 40 W

60.75 a Poplar 14 in. dia.

64.50 a Branch 50 lbs. wide course S 50 E

84.25 Intersect W. Boundary 136 lbs. N. of port -

set port at intersection cor. of sec. 6 & 7 from which

a Sugar 10 in. dia. leans N 76 1/2 E 18 lbs. dist. 8

a Beech 12 " " " N 48 E 25 " "

Hilly to the first branch, then bottom to the port,
the hills timbered with Oak & Chesnut, the bottom
with Beech & Poplar

North between Sec. 5 & 6

13.50 a W. Oak 36 in. dia.

25.00 a Branch 40 lbs. wide course N 45 W

33.50 a Do 10 " " " S 40 W

40.00 set of sec. port from which

a Ash 18 in. dia. leans N 42 E 15 lbs. dist. 8

a Beech 11 " " " S 53 W 15 " "

51.12 a W. Oak 33 " "

68.75 a Branch 40 lbs. wide course S 70 W

T. 1 N., R. 6 E. 2. Mer. Ind.^a

78.94 Intersect N. Boundary 375 lks. E. of port -
 set port at intersection cor. of Sec. 5 & 6 from which
 a Beech 24 in. diameter S 31 E 36 lks. dist. is
 a Do 22 " " " S 45 W 54 " "
 Hilly Oak land, Branch bottoms Beech & Poplar

East on Random between Sec. 5 & 8

20.75 a Branch 6 lks. wide course N 50 W

40.00 set trap. g. sec. port

51.50 a Branch 8 lks. wide course N 40 W

80.00 Intersect N. G. line at port -
 Hilly, Oaks, Beech & Poplar

West blazed between Sec. 5 & 8

40.00 set g. sec. port at aver. dist. from which
 an Ash 13 in. diameter N 25 W 17 lks. dist. is
 a Beech 12 " " " N 63 E 24 " "

80.00 to sec. cor.

East on Random between Sec. 4 & 9

18.25 a Branch 20 lks. wide course N 45 W

33.00 a Do 6 " " " N 40 W

40.00 set trap. g. sec. port

60.50 a Branch 12 lks. wide course N 40 E

81.50 Intersect N. G. line at port -
 Hilly Oaks & Chesnut land

West blazed between Sec. 4 & 9

40.75 set g. sec. port at aver. dist. from which
 a W. Oak 6 in. diameter N 66 W 14 lks. dist. is
 a B. Oak 5 " " " N 57 E 7 " "

81.50 to sec. cor. October 23. 1806

North between Sec. 3 & 4

T. 1 N., R. 6 E., 2^d Mer. Ind^a.

- 1.75 a Branch 15 lbs. wide course N 45° W
 23.00 a W. Oak 22 in. dia.
 40.00 set of sec. post from which
 a Poplar 16 in. dia. bears S 36° E - lbs. dist. 8
 a Chesnut 21 " " " N 75° W 17 " "
 42.50 a Branch 20 lbs. wide course W
 78.00 Intersect N. Boundary 455 lbs. E. of post -
 set post at intersection cen. of Sec. 3 & 4 from which
 a Gum 12 in. dia. bears S 62° E 9 lbs. dist. 8
 a Sugar 10 " " " S 87° W 10 " "
 Ridges, Oak, Beech & Poplar
-

North between Sec. 4 & 5

- 23.27 a Chesnut 20 in. dia.
 40.00 set of sec. post from which
 a W. Oak 22 in. dia. bears S 37½° E 28 lbs. dist. 8
 a Chesn. Oak 10 " " " S 65° W 17 " "
 54.00 a Beech 20 " "
 56.25 a Branch 30 lbs. wide course W
 77.80 Intersect N. Boundary 315 lbs. E. of post -
 set post at intersection cen. of sec. 4 & 5 from which
 a Beech 10 in. dia. bears N 5° E 6 lbs. dist. 8
 a Dr 10 " " " S 51° W 6 " "
 Fruit 52.00 bet. hilly, Oak & Chesnut,
 then level, Beech & Poplar
-

East between Sec. 22 & 27

- 2.50 a Branch 25 lbs. wide course S 40° E
 12.00 a Dr 12 " " " S
 40.00 set of sec. post from which
 a W. Oak 16 in. dia. bears N 32° W 48 lbs. dist. 8
 a Dr 7 " " " S 17° W 38 " "
 76.39 to a Black Gum in the line of black's grant

T. N., R. O. E. I. Mer. Ind.?

63.62 Ch. N 35° W. of a Poplar, Ash & Beech
at an offset in the aforesaid Grant line.
Low ridges, Oak timber

East between Sec. 15 & 22

2.50 a Branch 10 lbs. wide course S
25.81 to a post in the line of Clarke's Grant H. 62 Ch.
N 55° E. of 3 W. Oaks at an offset in S. line
from which a W. Oak 14 in. diameter S 71° W 56 lbs. dist. 3
a Do 13 " " " N 43° E 22 " "
Low ridges, timber Oak

East between Sec. 10 & 15

40.00 set of sec. post from which
a R. Oak 22 in. diameter S 23° W 22 lbs. dist. 3
a W. Oak 20 " " " N 25° W 25 " "
41.50 a Branch 10 lbs. wide course S
44.00 a Do 12 " " " " "
53.50 a Do 6 " " " " "
65.73 a W. Oak 14 in. dia.
80.00 set post cor. of Sec. 10, 11, 14 & 15 from which
a W. Oak 18 in. diameter N 18° E 7 lbs. dist. 3
a Do 16 " " " N 43° W 28 " "
Hilly, Oak timber

South between Sec. 14 & 15

15.00 a Branch 12 lbs. wide course E
26.25 a W. Oak 22 in. dia.
33.00 a Branch 6 lbs. wide course E
38.87 to a post in line of Clarke's Grant 71.00 Ch.
N 55° E. from a post in said line between Sec.
15 & 22 - from which
an Ash 14 in. diameter N 61° E 14 lbs. dist. 3

T. N., R. O. O. 2^d Mer. Ind.^a

no other Bearing tree.

Level Oak & Beech land. October 24. 1806

East between Sec. 11 & 14

2.50 a Branch 10 lbs. wide course S

13.00 a Do 10 " " " S

40.00 set of sec. post from which

a W. Oak 14 in. diameter N36 E 5 lbs. dist. 8

a Beech 7 " " " S40 W 8 " "

53.05 to a post in line of Clarke's Grant 77 lbs. N35 W
from a Poplar, W. Oak & Dogwood at an offset
in the Grant line - from which

a W. Oak 10 in. diameter S4 W 26 lbs. dist. 8

a Do 18 " " " N59 W 44 " "

Level Oak land

North between Sec. 10 & 11

4.50 a Branch 10 lbs. wide S30 E

40.00 set of sec. post from which

a W. Oak 12 in. diameter N1 W 25 lbs. dist. 8

a Chesn. Oak 7 " " " S21 E 8 " "

49.54 a B. Oak 20 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Chesnut Oak 22 in. diameter N24 W 17 lbs. dist. 8

a Do 10 " " " S15 W 18 " "

Along the nob's Oak timber

East between Sec. 2 & 11

30.15 to a post in line of Clarke's Grant 25.34 lbs.

N55 E. from 2 B. Oaks & an S. Oak, the S. Oak
is down, near the nob's, at an offset in said line
from which a W. Oak 14 in. diameter N32 E 37 lbs. dist. 8

a Do 10 " " " S88 1/2 W 35 " "

T. N., P. O. E. I. Mer. Ind.?

Over high nobs, Oak & Pine

North between Sec. 2 & 3

18.25 to the top of a high nob, running E

The hills are so steep, I cannot measure them

East between Sec. 3 & 10

21.50 to the top of the nobs.

High & steep hills to the mile post.

October 25. 1806

South between Sec. 1 & 2

16.00 a Branch 3 lbs. wide course S 50° E

33.00 a Do 5 " " " S 40° E

33.80 a W. Oak 20 in. dia.

40.00 at g. sec. post from which

a Beech 12 in. dia. runs N 29° W 18 lbs. dist. 18

a Maple 18 " " " N 22° W 31 " "

43.40 to a post in line of Black's Grant 57.00 lbs.

N 55° E. from a post between Sec. 2 & 11. from

which a Dogwood 6 in. dia. runs S 63° W 16 lbs. dist.

& a W. Oak 22 " " " N 28° W 48 " "

Low ridges, Oak, Beech & Hickory

December 15. 1806

Out Boundary of Black's Grant

Began at 3 W. Oaks & Dogwood

N 55° E 145.50 to Poplar, Beech & Ash

N 35° W 156.50 to 3 W. Oak on the point of a ridge, crossing
 a Branch 25 lbs. wide at 83.25 lbs. course
 S 70° E & one at 131.50 lbs. 20 lbs. wide
 course S 60° W

T. 1 N., R. 6 E. 2. Mer. Ind. a

N55E 144.50 to a Poplar, W. Oak & Dogwood

N35W 73.00 to 2 B. Oaks & S. Oak near the nob's

N55E 152.82 to a post in the N. Boundary from which
a W. Oak 23 in. dia. bears N3E 31 lbs. dist. 18
a S. 10 " " " N50E 16 " "

Beginning again at the 3 W. Oaks & Dog-
wood, from thence to Henry's post in the
Base line

S35E 34.54 to post in the Base line in S. Boundary
of Sec. 34

December 15. 1806. Surveyed by
Jacob Fowler
Dep. Surveyor.

I certify that the foregoing transcript of Field
Notes of the survey of Township N. 1 North, in
Range N. 6 East of the 2. Principal Meridian,
in the State of Indiana, has been compared with
the original on file in this office, and found to
be correct.

Surveyor General's Office,
Cincinnati, March 16. 1842

J. S. Leakes
Sur. Gen.